

MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions.

1.2 07/26/2023 S00034952933

SECTION 1. IDENTIFICATION

Product name : MINECTO PRO

Design code : A21390F

Product Registration number : 33023

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park

Guelph ON N1G 4Z3

Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address

Emergency telephone num-

ber

1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 3

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 1 (Nervous system)

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H331 Toxic if inhaled.

H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to organs (Nervous system) through

prolonged or repeated exposure.

Precautionary statements : Prevention:



MINECTO PROVersionRevision Date:SDS Number:This version replaces all previous versions.1.207/26/2023\$00034952933

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)	
	Name/Synonym			
cyantraniliprole	cyantraniliprole	736994-63-1	12.7387	
propane-1,2-diol	propane-1,2-diol	57-55-6	>= 5 - < 10 *	
abamectin (combina-	abamectin	71751-41-2		
tion of avermectin B1a	(combination of			
and avermectin B1b)	avermectin B1a		2.6844	
(ISO)	and avermectin			
	B1b) (ISO)			

^{*} Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.



MINECTO PRO **Revision Date:** Version SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

If breathing is irregular or stopped, administer artificial respira-

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Rinse immediately with plenty of water, also under the evelids, In case of eye contact

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting. Lack of coordination

Most important symptoms and effects, both acute and

delayed

Tremors

Dilatation of the pupil Notes to physician This material is believed to enhance GABA activity in animals.

It is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiaziphines, valproic acid) in patients with

potentially toxic mectin exposure.

Toxicity can be minimized by early administration of chemical

absorbents (e.g. activated charcoal).

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance

should be gauged.

Appropriate supportive parental fluid replacement therapy should be given, along with other required supportive

measures as indicated by clinical signs, symptoms and meas-

urements.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

fighting

Do not use a solid water stream as it may scatter and spread

Specific hazards during fire-As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Do not allow run-off from fire fighting to enter drains or water Further information

Cool closed containers exposed to fire with water spray.

Special protective equipment :

for firefighters

Wear full protective clothing and self-contained breathing ap-

paratus.



MINECTO PRO

This version replaces all previous versions. Version **Revision Date:** SDS Number: 1.2 07/26/2023 S00034952933

SECTION 6. ACCIDENTAL RELEASE MEASURES

tive equipment and emer-

gency procedures

Personal precautions, protec: Refer to protective measures listed in sections 7 and 8.

Prevent further leakage or spillage if safe to do so. **Environmental precautions**

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

miculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling No special protective measures against fire required.

> Avoid contact with skin and eves. When using do not eat, drink or smoke. For personal protection see section 8.

No special storage conditions required. Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cyantraniliprole	736994-63-1	TWA	5 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aero-sol)	10 mg/m3	CA ON OEL
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	0.02 mg/m3	Syngenta

Engineering measures THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED

FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.



MINECTO PRO

Version 1.2 Revision Date: 07/26/2023

SDS Number: S00034952933

This version replaces all previous versions.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene ad-

Personal protective equipment

Respiratory protection

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Suitable respiratory equipment: Respirator with a half face mask

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

No special protective equipment required.

Skin and body protection

Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the specific work-place.

silic work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

Protective measures

The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.04 - 1.08 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : > 650 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 451 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0.54 - 2.56 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Components:

cyantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat, male): 8.7 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 0.034 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male): 200 - 300 mg/kg

Assessment: The component/mixture is toxic after single con-



MINECTO PRO

Version Revision Date: 1.2 07/26/2023

SDS Number: S00034952933

This version replaces all previous versions.

tact with skin.

Skin corrosion/irritation

Product:

Species : Rabbit

Result : No skin irritation

Components:

cyantraniliprole:

Species : Rabbit

Result : No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Components:

cyantraniliprole:

Species : Rabbit

Result : No eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

Components:

cyantraniliprole:

Test Type : mouse lymphoma cells

Species : Mouse

Result : Did not cause sensitisation on laboratory animals.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Local lymph node assay (LLNA)



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

Species : Mouse

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Components:

cyantraniliprole:

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Germ cell mutagenicity - : Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

<u>Components:</u> cyantraniliprole:

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.

ment

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.

ment

Reproductive toxicity

Components:

cyantraniliprole:

Reproductive toxicity - As- : No toxicity to reproduction

sessment

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Reproductive toxicity - As- : Some evidence of adverse effects on development, based on

sessment animal experiments.

STOT - repeated exposure

Components:

cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Target Organs : Nervous system

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.



MINECTO PRO

Revision Date: Version 1.2 07/26/2023

SDS Number: S00034952933 This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

cyantraniliprole:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 12

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0204 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

13 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 3.2

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 10.7 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00656 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

10

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0027 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 0.00012 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.000022 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Navicula pelliculosa (Freshwater diatom)): > 1 mg/l

Exposure time: 96 h

EC10 (Navicula pelliculosa (Freshwater diatom)): 0.71 mg/l



MINECTO PRO

Version 1.2

Revision Date: 07/26/2023

SDS Number: S00034952933

This version replaces all previous versions.

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.00052 mg/l

Exposure time: 72 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.0032 μg/l

Exposure time: 21 d

NOEC (Americamysis): 0.0022 µg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

cyantraniliprole:

Biodegradability : Result: Not readily biodegradable.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1.7 d

Remarks: Product is not persistent.

Bioaccumulative potential

Components:

cyantraniliprole:

Bioaccumulation : Bioconcentration factor (BCF): < 1

Remarks: Does not bioaccumulate.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.4

Mobility in soil

Components:

cyantraniliprole:

Distribution among environ-

Remarks: immobile

mental compartments

Stability in soil : Remarks: No data available

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

Remarks: Slightly mobile in soils



MINECTO PRO

Version Revision Date: 1.2 07/26/2023

SDS Number: S00034952933

This version replaces all previous versions.

Stability in soil : Dissipation time: 12 - 52 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

cyantraniliprole:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling infor-

mation

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling infor-

mation

Empty remaining contents. Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ABAMECTIN, CYANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(ABAMECTIN, CYANTRANILIPROLE)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen:

ger aircraft)

Environmentally hazardous : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

964

(ABAMECTIN, CYANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ABAMECTIN, CYANTRANILIPROLE)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(ABAMECTIN, CYANTRANILIPROLE)

Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4,

Dangerous Goods Safety Marks, if transported solely on land

by road vehicle or railway vehicle.

1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions.

1.2 07/26/2023 S00034952933

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Warning, contains the allergen 1,2-benzisothiazolin-3-one and 2-bromo-2-nitropropane-1,3-diol Danger

Skull and crossbones

poison

NPRI Components : sulphuric acid

ethanol

The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

cyantraniliprole

abamectin (combination of avermectin B1a and avermectin

B1b) (ISO)

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-

tris(1-phenylethyl)phenoxy]-

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

Syngenta : Syngenta Occupational Exposure Limit
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



MINECTO PRO

Version Revision Date: SDS Number: This version replaces all previous versions. 1.2 07/26/2023 S00034952933

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 07/26/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN