# **SOYBEANS**



# GH1362E3BRAND





### **Strong Performance Across a Wide Geography**

- Soybean Cyst Nematode protection with very good tolerance to Iron Deficiency Chlorosis
- Rps1c gene with solid Phytophthora Root Rot field tolerance
- · Medium-bush canopy helps close the row

#### **Plant Characteristics**

Plant Height	Medium-Tall
Canopy/Plant Type	Medium-Bush
Branching	Prolific
Growth Habit	Indeterminate
Flower Color	Purple
Pubescence Color	Gray
Pod Color	Tan
Hilum Color	Imperfect Black
Chloride Sensitivity	Includer

### **Disease Ratings**

Phyt	ophth	ora Ro	ot Rot	t					
Sout	hern S	tem C	anker	(-)					
Iron	Deficie	ency C	hloros	sis					
Brov	vn Ste	m Rot							
Cha	coal F	ot (-)							
Soyl	bean V	Vhite N	/lold						
Pod	& Ster	n Bligl	nt						
Sud	den De	eath S	yndror	ne					
Frog	eye Le	eaf Sp	ot						
	9	8	7 (	6	5	4	3	2 [	BEST

### **Agronomic Traits**

Emergence	3
Standability	4
Shatter Tolerance	2
Green Stem	3
Estimated Seed Size	Large
% Protein at 13% mst.	35.2
% Oil at 13% mst.	18.5
Narrow Rows	2
Wide Rows	1
Metribuzin Response	Best
Sulfentrazone Response	Best

## **Adaptation to Soil Types**

Drought Prone	Good
High pH*	Good
Highly Productive	Best
Moderate/Variable Environments	Good
Poorly Drained	Good

#### **Diseases and Pests**

Phytophthora Root Rot (PRR) Source	Rps1c
Soybean Cyst Nematode (SCN) Races	MR3, MR14
(SCN) Source	PI88788
Root Knot Nematode (RKN) Incognita	-

For more info or to view product performance data: goldenharvestseeds.com

(800) 944-7333



LIBERTY Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in com and soybears, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control.

1-9 Scale: 1 = Best, 9 = Worst, (-) = Not Available.

\* Represents an assessment of stand establishment, chlorosis severity and yield performance

Ratings are based on interpretation of statistically analyzed results of studies conducted by Syngenta and may change as additional data are gathered.