## **SOYBEANS**



### GH3994E3<sub>BRAND</sub>





# Broadly Adapted with Great Performance Across the MG 3 Market

- Solid disease package to help protect bushels all season long
- Well suited for placement on any soil type
- Stable performance when pushed South of zone

#### **Plant Characteristics**

Plant Height	Medium
Canopy/Plant Type	Medium-Thin
Branching	Moderate
Growth Habit	Indeterminate
Flower Color	Purple
Pubescence Color	Gray
Pod Color	Tan
Hilum Color	Buff
Chloride Sensitivity	Excluder

#### **Disease Ratings**

Phytophthora Root Rot	
Southern Stem Canker	
Iron Deficiency Chlorosis	
Brown Stem Rot	
Charcoal Rot	
Soybean White Mold (-)	
Pod & Stem Blight (-)	
Sudden Death Syndrome	
Frogeye Leaf Spot	
9 8 7 6 5 4 3 2	BES

#### **Agronomic Traits**

Emergence	2
Standability	2
Shatter Tolerance	2
Green Stem	2
Estimated Seed Size	Medium
% Protein at 13% mst.	-
% Oil at 13% mst.	-
Narrow Rows	Best
Wide Rows	Best
Metribuzin Response	Best
Sulfentrazone Response	Best

#### **Diseases and Pests**

Phytophthora Root Rot (PRR) Source	Rps1c
Soybean Cyst Nematode (SCN) Races	MR3, MR14
(SCN) Source	PI88788
Root Knot Nematode (RKN) Incognita	-

#### **Adaptation to Soil Types**

Drought Prone	Good
High pH*	Good
Highly Productive	Best
Moderate/Variable Environments	Best
Poorly Drained	Best

For more info or to view product performance data:

goldenharvestseeds.com

1-800-944-7333



Seed products with the LibertyLink® (LL) trait are resistant to the herbidide glulosinate ammonium, an alternative to glyphosate in corn and solpleans, and combine high-yielding genetics with the powerful, non-selective, posternegerit weed control of Liberty® herbicide for optimum yield and excellent weed control.

1-9 Scale: 1 = Best, 9 = Worst, (-) = Not Available, NA = Not Applicable. Adaptation and Responses: Best > Good > Fair > Poor. R = Resistant, S = Susceptible.

\* Represents an assessment of stand establishment, chlorosis severity and yield performance

Ratings are based on interpretation of statistically analyzed results of studies conducted by Syngenta and may change as additional data are gathered.